Table 5.14c Unadjusted Patient Survival, <u>Deceased Donor</u> Kidney Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months (Tx 2005 - 2006)				1 Year		5	5 Years		10 Years			
				(Tx 2	(Tx 2005 - 2006)			2001 - 20	006)	(Tx 1996 - 2006)			
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Total													
All	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3%	
Age at Tx													
<1 Year	3	100.0%	0.0%	3	100.0%	0.0%	4	+	+	5	+) +	
1-5 Years	131	99.2%	0.8%	131	96.9%	1.5%	304	95.2%	1.3%	506	88.8%	1.9%	
6-11 Years	200	99.0%	0.7%	200	98.5%	0.9%	494	96.5%	1.0%	809	90.6%	1.89	
12-17 Years	570	99.5%	0.3%	570	98.6%	0.5%	1,255	94.1%	1.0%	1,966	85.6%	1.49	
18-34 Years	1,801	99.4%	0.2%	1,801	98.4%	0.3%	5,438	93.3%	0.4%	10,672	82.5%	0.69	
35-49 Years	4,318	98.8%	0.2%	4,318	97.2%	0.3%	12,753	87.6%	0.4%	24,085	69.8%	0.59	
50-64 Years	7,061	97.8%	0.2%	7,061	94.3%	0.3%	18,935	77.6%	0.4%	31,437	50.2%	0.5%	
65+ Years	3,066	95.9%	0.4%	3,066	90.2%	0.5%	7,176	62.6%	0.9%	10,443	29.7%	1.0%	
Recipient Ethnicity/Race													
White	7,816	98.1%	0.2%	7,816	94.6%	0.3%	21,994	79.5%	0.4%	40,063	59.1%	0.49	
African American	5,423	97.6%	0.2%	5,423	95.0%	1	14,480	80.5%		24,185	58.7%	0.59	
Hispanic/Latino	2,528	97.9%	0.3%	2,528	95.6%	0.4%	, ,	86.0%		10,077	69.3%	1	
Asian	1,108	98.3%	1	1,108	95.9%	0.6%	, ,	85.5%	1	, ,	73.3%	1	
Other/Multi-race	275	97.8%		275	95.6%	1.2%	, ,	80.9%	1	, ,	56.0%		
Unknown	0	-	-	0	-	-	1	100.0%	ļ.	3	100.0%	!	
Recipient Gender													
Female	6,690	98.4%	0.2%	6,690	95.8%	0.2%	18,298	83.0%	0.4%	31,594	63.0%	0.59	
Male	10,460	97.7%	0.1%	10,460	94.4%	1	28,061	79.7%	0.3%	48,329	59.5%	0.49	
Recipient Blood Type													
0	7,724	97.9%	0.2%	7,724	95.0%	0.2%	20,851	81.5%	0.4%	35,629	61.3%	0.49	
A	6,212	98.1%	0.2%	6,212	94.9%	1	17,138	80.6%		29,989	60.3%	1	
В	2,292	97.6%	0.3%	2,292	94.8%	0.5%	, ,	79.6%		10,122	61.2%	1	
AB	922	97.7%	0.5%	922	94.9%	0.7%	, ,	82.2%	1.1%	ı '	60.5%	1	

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.
Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued) **Unadjusted Patient Survival, Deceased Donor Kidney Transplants** Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3	3 Months					5 Years			10 Years			
	(Tx 2	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Total All	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3%	
Recipient Residency U.S. Resident Nonresident Alien Unknown	17,018 128 4	97.9% 100.0% 75.0%			98.4%	0.2% 1.1% 21.7%		80.9% 94.8% 63.0%	1		60.6% 92.1% 59.4%	1.6%	
Hospitalized at Tx Not Hospitalized Hospitalized In Intensive Care Unknown	16,974 140 36	98.0% 96.4% 91.7%	1.6%		95.0% 92.9% 88.9%	0.2% 2.2% 5.2%		81.0% 78.4% 76.1% +	2.0%	, ,	61.0% 57.7% 56.1% 53.8%	2.5% 4.3%	
Life Support at Tx Unknown	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3%	
Primary Diagnosis Other Unknown	1,411	98.0% 90.9%	0.4% 8.7%		95.6% 81.8%		'	84.0% 70.8%	0.8%	'	66.2% 78.7%	!	

Source: OPTN/SRTR Data as of May 1, 2008.

Multi-organ transplants are excluded.
Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Chorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one

transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Table 5.14c (Continued) Unadjusted Patient Survival, <u>Deceased Donor</u> Kidney Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3	Months			1 Year		5	5 Years		10 Years			
	(Tx 2	(Tx 2005 - 2006)			(Tx 2005 - 2006)			2001 - 20	006)	(Tx 1996 - 2006)			
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Total All	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3%	
Cold Ischemic Time Unknown	1,826	97.1%	0.4%	1,826	93.9%	0.6%	5,883	80.0%	0.7%	8,632	61.9%	1.2%	
PRA at Transplant 0-9% 10-79% 80%+ Unknown	14,012 1,847 609 682	97.9% 97.9% 98.9% 97.8%	0.3% 0.4%	609	94.9% 94.7% 96.1% 94.7%	0.2% 0.5% 0.8% 0.9%	1,395	81.0% 80.6% 81.3% 80.8%	0.9% 1.5%	2,076	61.1% 58.2% 57.6% 62.5%	1.0%	
Dialysis Needed Within First Week After Tx No Yes Unknown	13,082 4,067 1	98.5% 96.3% 100.0%	0.3%	13,082 4,067 1	96.0% 91.5% 0.0%		35,288 11,069 2	83.7% 72.2% +		60,582 19,094 247	64.1% 50.8% 59.7%	0.6%	
Donor Age <1 Year 1-5 Years 6-11 Years 12-17 Years 18-34 Years 35-49 Years 50-64 Years 65+ Years	61 407 378 1,268 4,941 5,034 4,298 763	100.0% 99.0% 97.6% 98.8% 98.6% 98.2% 97.0%	0.5% 0.8% 0.3% 0.2% 0.2%	61 407 378 1,268 4,941 5,034 4,298 763	96.7% 97.8% 94.2% 97.2% 96.7% 95.5% 92.5%	0.3%	3,727 13,335 13,419 11,241	87.0% 85.9% 83.5% 87.4% 85.6% 81.1% 75.0%	1.4% 1.3% 0.7% 0.4% 0.5%	2,167 2,644 7,220 22,763 22,885 18,513	67.9% 71.5% 64.3% 68.1% 66.4% 61.0% 52.5% 39.6%	1.5% 1.4% 0.9% 0.5% 0.5%	

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.
Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued) **Unadjusted Patient Survival, Deceased Donor Kidney Transplants** Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3	3 Months			1 Year			5 Years		10 Years			
	(Tx 2	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Total													
All	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3%	
A Locus Mismatch													
0	3,097	98.4%	0.2%	3,097	95.4%	0.4%	8,853	82.4%	0.5%	15,963	62.9%	0.6%	
1	5,954	97.7%	0.2%	5,954	94.4%	0.3%	16,426	81.1%	0.4%	28,657	60.9%	0.5%	
2	8,095	98.0%	0.2%	8,095	95.2%	0.2%	21,073	80.3%	0.4%	35,234	59.9%	0.4%	
Unknown	4	100.0%	0.0%	4	100.0%	0.0%	7	80.0%	17.9%	69	54.1%	6.9%	
B Locus Mismatch			İ	İ			İ		İ	İ		İ	
0	2,534	98.5%	0.2%	2,534	95.9%	0.4%	7,842	82.4%	0.6%	15,325	61.8%	0.6%	
1	3,780	97.7%	0.2%	3,780	94.4%	0.4%	12,578	81.3%	0.4%	25,528	61.5%	0.5%	
2	10,832	97.9%	0.1%	10,832	94.9%	0.2%	25,932	80.4%	0.4%	39,002	59.9%	0.5%	
Unknown	4	100.0%	0.0%	4	100.0%	0.0%	7	80.0%	17.9%	68	55.0%	7.0%	
DR Locus Mismatch									ĺ				
0	3,894	98.3%	0.2%	3,894	95.8%	0.3%	11,980	82.6%	0.5%	22,632	61.9%	0.5%	
1	7,386	98.1%	0.2%	7,386	95.2%	0.2%	19,423	81.2%	0.4%	34,036	61.5%	0.4%	
2	5,860	97.5%	0.2%	5,860	94.1%	0.3%	14,935	79.4%	0.5%	23,144	58.7%	0.6%	
Unknown	10	100.0%	0.0%	10	100.0%	0.0%	21	80.0%	10.8%	111	52.3%	6.2%	
Total Mismatch									ĺ				
0	2,225	98.5%	0.3%	2,225	96.0%	0.4%	6,197	82.9%	0.7%	10,525	62.9%	0.8%	
1	119	98.3%	1.2%	119	95.0%	2.0%	648	82.8%	1.7%	2,071	62.7%	1.4%	
2	527	98.7%	0.5%	527	94.9%	1.0%	2,450	80.7%	0.9%	5,912	60.6%	0.9%	
3	1,956	97.8%	0.3%	1,956	94.9%	0.5%	6,626	82.1%	0.6%	13,661	61.8%	0.6%	
4	4,440	98.0%	0.2%	4,440	94.8%	0.3%	11,504	81.1%	0.5%	19,487	61.7%	0.6%	
5	5,362	97.8%	0.2%	5,362	94.8%	0.3%	12,642	80.7%	0.5%	18,850	59.2%	0.7%	
6	2,511	97.8%	0.3%	2,511	94.7%	0.4%	6,269	78.2%	0.7%	9,290	57.5%	1.0%	
Unknown	10	100.0%	0.0%	10	100.0%	0.0%	23	76.7%	10.6%	127	53.3%	5.5%	

Source: OPTN/SRTR Data as of May 1, 2008.

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Chorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one

transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.
Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued) Unadjusted Patient Survival, <u>Deceased Donor</u> Kidney Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3	Months			1 Year			Years		10 Years (Tx 1996 - 2006)			
	(Tx 2	2005 - 20	006)	(Tx 2	2005 - 20	006)	(Tx 2	2001 - 2	006)				
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Total													
All	17,150	97.9%	0.1%	17,150	95.0%	0.2%	46,359	81.0%	0.2%	79,923	60.9%	0.3	
Transplant Center State													
ALABAMA	259	97.3%	1.0%	259	94.6%	1.4%	736	82.3%	1.8%	1,543	62.6%	1.8	
ARKANSAS	181	98.9%	0.8%	181	95.6%	1.5%	390	78.2%	3.7%	622	60.3%	3.2	
ARIZONA	242	97.9%	0.9%	242	95.5%	1.3%	633	85.3%	1.9%	1,058	70.5%	2.2	
CALIFORNIA	2,039	98.4%	0.3%	2,039	95.9%	0.4%	5,584	82.9%	!	9,421	64.5%	!	
COLORADO	217	99.1%	1	217	96.8%	1.2%	589	83.4%	1	964	65.0%	1	
CONNECTICUT	135	99.3%	1	135	97.0%	1.5%	379	84.4%		649	65.1%	1	
DELAWARE	4	100.0%	1	4	100.0%	0.0%	10	100.0%	0.0%	17	100.0%	1	
FLORIDA	1,118	98.1%	1	1,118	95.4%	0.6%	2,991	81.7%	1.0%	5,167	59.6%	1	
GEORGIA	435	98.2%	1	435	95.4%	1.0%	1,229	83.5%	1.4%	2,147	62.9%	1	
HAWAII	70	98.6%	1.4%	70	98.6%	1.4%	199	87.6%	2.9%	328	75.5%	!	
IOWA	126	98.4%	1	126	96.8%	1.6%	370	77.8%		662	58.4%		
ILLINOIS	622	97.9%	1	622	93.4%	1.0%	1,784	82.9%		3,122	61.7%	1	
INDIANA	248	98.4%	1	248	95.2%	1.4%	786	86.6%	1.7%	1,272	75.1%	1	
KANSAS	114	100.0%	1	114	97.4%	1.5%	327	87.3%		557	71.9%	1	
KENTUCKY	178	98.9%	1	178	96.1%	1.5%	535	79.1%		1,000	51.8%	1	
	333	98.5%	!	333		1.1%	978		!	, ,	61.8%	!	
LOUISIANA			1		96.1%			80.8%		1,556		1	
MASSACHUSETTS	377	97.9%	1	377	95.5%	1.1%	1,028	83.8%		1,776	61.4%	1	
MARYLAND	373	96.8% 100.0%	1	373 59	93.0%	1.3%	1,191	72.0%	1.7%	2,131	45.7%	1	
MAINE	59		1		96.6%		177	86.7%			63.2%	1	
MICHIGAN	536	97.6%		536	93.8%	1.0%	1,476	81.8%		2,459	59.5%	1	
MINNESOTA	245	98.4%	1	245	96.3%	1.2%	655	81.1%	2.1%	1,281	59.9%	1	
MISSOURI	460	98.9%	!	460	96.7%	0.8%	1,087	87.3%	!	2,003	61.4%	!	
MISSISSIPPI	24	100.0%	1	24	95.8%	4.1%	133	82.6%	3.8%	267	66.6%	1	
NORTH CAROLINA	534	97.8%	1	534	96.3%	0.8%	1,248	86.6%	1.3%	2,073	63.9%	1	
NORTH DAKOTA	39	97.4%	1	39	89.7%	4.9%	145	69.1%		224	53.7%	1	
NEBRASKA	92	98.9%	1	92	95.7%	2.1%	247	81.3%	3.3%	445	60.6%	1	
NEW HAMPSHIRE	41	100.0%	1	41	97.6%	2.4%	98	77.4%		154	73.0%	1	
NEW JERSEY	379	95.0%	!	379	91.0%	1.5%	1,071	74.9%	!	1,841	58.6%	!	
NEW MEXICO	103	99.0%	1	103	98.1%	1.4%	219	91.0%	3.0%	428	63.5%	1	
NEVADA	92	93.5%	1	92	91.3%	2.9%	258	72.4%		434	47.9%	1	
NEW YORK	1,246	97.1%		1,246	93.8%	0.7%	2,790	78.0%		4,796	61.5%	1	
OHIO	575	96.0%	0.8%	575	91.3%	1.2%	1,642	75.1%	1.4%	3,219	56.3%	1	
OKLAHOMA	164	97.6%	1	164	92.1%	2.1%	498	78.8%		868	57.2%		
OREGON	216	98.6%		216	96.8%		610	80.6%		988	66.2%	1	
PENNSYLVANIA	1,330	98.3%	!	1,330	94.7%	0.6%		77.3%		, ,	57.0%	!	
PUERTO RICO	139	99.3%		139	97.8%	1.2%		88.8%		459	53.4%	1	
RHODE ISLAND	58	94.8%	1	58	91.4%	3.7%	200	78.5%	3.4%	294	57.6%	5.	
SOUTH CAROLINA	229	99.1%	0.6%	229	95.6%	1.4%	605	79.9%	2.3%	1,054	55.4%	2.	
SOUTH DAKOTA	54	100.0%	0.0%	54	96.3%	2.6%	151	76.8%	4.8%	239	61.9%	5.	
TENNESSEE	457	97.4%	1	457	94.5%	1.1%	1,232	80.8%	1.5%	2,058	55.6%	1.	
TEXAS	1,395	97.1%	0.4%	1,395	94.6%	0.6%	3,845	82.7%	0.8%	6,564	64.1%	1.	

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category. Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants. Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued) Unadjusted Patient Survival, <u>Deceased Donor</u> Kidney Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months				1 Year			5 Years		10 Years			
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)			
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	
Transplant Center State													
UTAH	107	98.1%	1.3%	107	96.3%	1.8%	322	91.3%	1.9%	588	72.4%	2.9%	
VIRGINIA	430	99.5%	0.3%	430	96.7%	0.9%	1,032	80.5%	1.6%	1,776	57.8%	1.9%	
VERMONT	45	97.8%	2.2%	45	95.6%	3.1%	78	90.3%	3.6%	135	77.2%	5.3%	
WASHINGTON	303	99.3%	0.5%	303	97.4%	0.9%	968	82.6%	1.7%	1,647	58.8%	2.2%	
WISCONSIN	432	99.1%	0.5%	432	94.9%	1.1%	1,233	77.7%	1.6%	2,036	59.1%	1.9%	
WEST VIRGINIA	66	97.0%	2.1%	66	89.4%	3.8%	204	71.7%	4.4%	447	50.3%	3.5%	

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.
Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9